

PENDING CLAIMS AS AMENDED

Please amend the claims as follows:

1. (Currently amended) A method for secure transmissions, the method comprising:
determining a registration key specific to a participant in a transmission;
determining a first key;
encrypting the first key with the registration key;
sending the first key on a broadcast channel;
determining a second key;
encrypting the second key with the first key; [[and]]
sending the second key on an out-of-band channel; and
updating the first and second keys.
2. (Original) The method as in claim 1, wherein updating further comprises:
updating the first key according to a first time period; and
updating the second key according to a second time period, wherein the second time period is less than the first time period.
3. (Original) The method as in claim 2, wherein updating further comprises:
encrypting an updated first key with the registration key ; and
encrypting an updated second key with the updated first key.
4. (Original) The method as in claim 2, further comprising:
encrypting a broadcast stream of information using the second key; and
transmitting the encrypted broadcast stream of information.
5. (Original) The method as in claim 4, wherein the broadcast stream of information comprises video information.

6. (Original) The method as in claim 4, wherein the broadcast stream of information comprises Internet Protocol packets.
7. (Original) The method as in claim 3, further comprising:
 - calculating a registration key information message; and
 - transmitting the registration key information message.
8. (Original) The method as in claim 7, further comprising:
 - calculating a first key information message corresponding to the updated and encrypted first key; and
 - transmitting the first key information message.
9. (Original) The method as in claim 8, further comprising:
 - calculating a second key information message corresponding to the updated and encrypted second key; and
 - transmitting the second key information message.
10. (Original) The method as in claim 1, further comprising:
 - transmitting the encrypted first key; and
 - transmitting the encrypted second key.
11. (Currently amended) A method for secure reception of a transmission, the method comprising:
 - receiving a registration key specific to a participant in a transmission;
 - receiving a first key encrypted with the registration key, on a broadcast channel;
 - decrypting the first key with the registration key;
 - receiving a second key on an out-of-band channel;
 - decrypting the second key with the first key;
 - receiving a broadcast stream of information; and
 - decrypting the broadcast stream of information using the second key.

12. (Original) The method as in claim 11, further comprising:
storing the first key in a secure memory storage unit; and
storing the second key in a memory storage unit.
13. (Original) The method as in claim 11, further comprising:
recovering the first key from a first key information message; and
recovering the second key from a second key information message.
14. (Original) The method as in claim 11, further comprising:
updating the first key according to a first time period; and
updating the second key according to a second time period.
15. (Currently amended) In a wireless communication system supporting a broadcast service option, an infrastructure element comprising:
a receive circuitry adapted to receive a first key on a broadcast channel and to receive a second key on an out-of-band channel;
a user identification unit, operative to recover a short-time key for decrypting a broadcast message, comprising:
processing unit operative to decrypt key information;
memory storage unit for storing a registration key; and
a mobile equipment unit adapted to apply the short-time key for decrypting the broadcast message.
16. (Original) The infrastructure element as in claim 15, wherein the short-time key is processed by the user identification unit and passed to the mobile equipment unit.
17. (Original) The infrastructure element as in claim 15, wherein the memory storage unit is a secure memory storage unit.

18. (Original) The infrastructure element as in claim 15, wherein the memory storage unit stores a broadcast access key, and wherein the processing unit decrypts the short-time key using the broadcast access key.

19. (Original) The infrastructure element as in claim 18, wherein the short-time key is updated at a first frequency.

20. (Original) The infrastructure element as in claim 19, wherein the broadcast access key is updated at a second frequency less than the first frequency.

21. (Original) The infrastructure element as in claim 15, wherein the broadcast service option is a video service.

22. (Currently amended) A wireless communication system, comprising:

means for determining a registration key specific to a participant in a transmission;

means for determining a first key;

means for encrypting the first key with the registration key;

means for sending the first key on a broadcast channel;

means for determining a second key;

means for encrypting the second key with the first key; [and]

means for sending the second key on an out-of-band channel, and;

means for updating the first and second keys.

23. (Currently amended) An infrastructure element, comprising:

means for receiving a registration key specific to a participant in a transmission;

means for receiving a first key encrypted with the registration key, on a broadcast channel;

means for decrypting the first key with the registration key;

means for receiving a second key on an out-of-band channel;

means for decrypting the second key with the first key;

means for receiving a broadcast stream of information; and

means for decrypting the broadcast stream of information using the second key.

24. (Currently amended) A digital signal storage device, comprising:

first set of instructions for receiving a registration key specific to a participant in a transmission;

second set of instructions for receiving a first key encrypted with the registration key on a broadcast channel;

third set of instructions for decrypting the first key with the registration key;

fourth set of instructions for receiving a second key on an out-of-band channel;

fifth set of instructions for decrypting the second key with the first key;

sixth set of instructions for receiving a broadcast stream of information; and

seventh set of instructions for decrypting the broadcast stream of information using the second key.